1999

Journal of Cardiopulmonary Rehabilitation Author Index

Adams, K, 366
Adams, KJ, 52, 209
Ades, PA, 255
Allen, HD, 186
Allison, TG, 249
Aloia, MS, 91
Arena, R, 344
Armstrong, C, 18

Babyak, MA, 81
Balady, G, 373
Barnard, K, 366
Barnard, KL, 52
Barnard, MS, 209
Beniamini, Y, 8
Berkhuysen, MA, 22
Berkuyse, M, 347
Berning, J, 366
Bieńkowska, S, 98
Blumenthal, JA, 81
Brochu, M, 255
Brown, CS, 112
Bunker, S, 334
Buunk, BP, 22

Cannistra, L, 373
Carhart, RL Jr, 255
Carlin, BW, 279
Carrieri-Kohlman, V, 242
Chekroud, H, 216
Chilikuri, M, 81
Clark, MM, 91
Cohen, DM, 186
Cohen, RA, 91
Con, AH, 152
Cort, DA, 226
Cox, H, 334
Crim, MC, 8
Crowe, J, 29

Davidoff, R, 373
Davis, JT, 186
Debigaré R, 235
Denny, DM, 52, 209
Dernis J-M, 216
Deslauriers, J, 235
Dominick, KL, 81

Douay, B, 216
Duivenvoorden, HJ, 178
Dylewicz, P, 98
Długiewicz,I, 98

Faigenbaum, AD, 8
Feeny, D, 29
Filip, J, 339
Forman, DE, 91
Fortin, 362, 216
Fragnoli-Munn, K, 255
Franklin, D, 43
Franklin, WH, 186
Fuller, B, 352

Gardner, AW, 43
Garduno, D, 226
Gau, GT, 249
Gilliam, J, 18
Goodman, JM, 144
Gormley, JM, 242
Green, A, 366
Grosbois, J-M, 216
Groves, J, 18
Gullette, ECD, 81
Guyatt, G, 29

Haggerty, MC, 35
Harper, W, 18
Hershberger, PJ, 106
Humphrey, R, 344
Hyson, DA, 226

Ignaszewski A, 152

Jelinek, M, 334
Jewell, D, 381
Johnson, BD, 249
Jones, N, 29
Jungbauer, J, 352

Kaelin, M, 366
Kappagoda CT, 226
Kavanagh T, 144
Keefe, FJ, 81
Killewich, LA, 43
Knight DR, 186

Kulik, JA, 170
Kushnick, MR, 209

Lamblin, C, 216
Laubach, CA Jr, 162
LeBlanc, P, 235
LeMaire, B, 216
Lichtenstein, AH, 8
Linden, W, 152
Liu, PP, 144
Long, 186

Mahler, HIM, 170
Mallow, KL, 81
Maltais, F, 235
Mann, E, 52, 209
Markert, RJ, 106
McBurney, H, 334
McCall, R, 344
McConnell, TR, 162
McFarland, LD, 112
McGillen, C, 339
Merz, CNB, 118
Montgomery, PS, 43
Mosca, L, 339
Moser, DJ, 91

Nauright, L, 347
Nieuwland, W, 22

Oldridge, N, 29

Pallandi, DV, 144
Palm, RJ, 162
Paul, S, 242
Paul-Labrador, M, 118
Paumer, L, 226
Picard, M, 373
Plyley MJ, 144
Poehlman, ET, 255
Przywarska, I, 98

Quigg, R, 381

Reading, JR, 144
Rice, C, 347
Rispens P, 22

Robertson, KB, 106
Rubenstein, JJ, 8
Rudkin, S, 362
Rutledge, JC, 226
Rychlewski, T, 98

Salyer, J, 381
Sanderman, R, 22
Savage, PD, 255
Seemans, CM, 112
Shaw, DK, 59
Shearn, WM, 162
Sherwood, A, 81
Shiels, W, 186
Southard, B, 360
Southard, D, 360
Sperling, L, 347
Squires, RW, 249
Stefanik, S, 91
Stewart, KJ, 112
Stockdale-Wooley, R, 35
Stulbarg, MS, 242
Swank, A, 366
Swank, AM, 52, 209
Szczêśniak, £, 98

Tarazi, RY, 170
Tate, BA, 91
Thompson, JM, 152
Tilkemeier, PL, 91
Tsang, A, 242

van Dixhoorn, JJ, 178
Viersma JW, 22
Vongvanich, P, 118

Waugh, R, 81
Weinhofer, JJ, 112
White, R, 362
Whittom, F, 235
Wilk, M, 98
Withers, N, 362
Womack, CJ, 43

ZuWallack R, 35

1999

Journal of Cardiopulmonary Rehabilitation Subject Index

Abstracts
  American Association of Cardiovascular and Pulmonary Rehabilitation, 287
  Canadian Association of Cardiac Rehabilitation, 319
Aerobic training, combined with high-intensity strength training, in phase II patients, 209
American Association of Cardiovascular and Pulmonary Rehabilitation
  abstracts, 287
  Annual Meeting, 279, 282
  1999 Program Committee, 282
Anxiety, in severe COPD, 362
Appointment-keeping, personality and, 106
Assessment, 1RM
    cardiopulmonary responses, muscle soreness and injury during, 366
  injuries and muscle soreness during, 52, 190

Blood insulin level, short-term endurance training and, 98
Body fat distribution, 162
Bypass surgery, coronary artery
  exercise training after, 144
  psychology of men and women recovering from, 152

CAD. *See* Coronary artery disease
Canadian Association of Cardiac Rehabilitation
  abstracts, 319
  Annual Meeting, 319
Cardiac events after myocardial infarction, relaxation therapy and, 179
Cardiac rehabilitation
  lipid lowering in, 255
  multidisciplinary, exercise training in, 22
  after myocardial infarction, 29
  neuropsychological functioning in, 91
  outpatient
    participation rates, 334
    phase II education, 347
  patient preferences for, 339
  personality and appointment-keeping in, 106
  phase II
    combination aerobic and high-intensity strength training in, 209
    education, 347
  program elements desired by patients, 339
  psychological support groups in, 18
  strength training in, 8
    1RM testing for, 52, 190, 366
  telemedicine and, 59
  waist-to-hip ratio and, 162
Cardiac transplantation, exercise capacity early after, 381
Cardiopulmonary exercise testing, in chronic heart failure, 249
Cardiopulmonary rehabilitation, feasibility of multi-state outcomes program, 352
Cardiopulmonary responses, during one 1RM assessment, 366
Cardiothoracic surgery, cycle exercise early after, case studies, 186
Case studies
  cycle exercise early after cardiothoracic surgery, 186
  exercise pulmonary function after LVAD implantation, 344
Children, young, dietary fat and cholesterol intake in, 112
Cholesterol intake, in young children, 112
Chronic heart failure, exercise testing in, 249
Chronic illness, prediction of peak oxygen uptake among older patients with, 81
Chronic obstructive pulmonary disease
  outpatient rehabilitation with, 216
  severe, anxiety and depression in, 362
Cigarette smoking, and physical activity, 43
Compliance, videotape preparations and, 170
Coronary artery bypass surgery
  exercise training after, 144
  psychology of men and women recovering from, 152
  videotape preparations and compliance after, 170
Coronary artery disease, lifestyle program in management of, 226
CR. *See* Cardiac rehabilitation
Cycle exercise, early after cardiothoracic surgery, case studies, 186

Daily leisure time physical activity, cigarette smoking and, 43
Depression, in severe COPD, 362
Dietary fat, in young children, 112
Discharge, videotape information intervention at, 170
Dyspnea, recall after exercise training, 242

Editorials, 360
Education
  phase II cardiac rehabilitation, 347
  videotape preparations, 170
EHRRP. *See* Emory HeartWise Risk Education Program
Emory HeartWise Risk Education Program (EHRRP), 347
Emphysema, home exercise training in, 235
Endurance training, short-term, after myocardial infarction, 98
Erythrocyte receptors,
Exercise
  cycle, early after cardiothoracic surgery, case studies, 186
  early post-cardiac transplant capacity, 381
  maintenance, long-term benefits of, 216
Exercise pulmonary function, after LVAD implantation, case study, 344
Exercise testing, in chronic heart failure, 249
Exercise training
  after coronary artery bypass surgery, 144
  high- vs low-frequency effects, 22
  home, before lung volume reduction, 235
  after myocardial infarction, and left ventricular remodeling, 373
  recall of dyspnea after, 242
  risk stratification for, 118, 261

Fat
body, distribution of, 162
dietary, in young children, 112

Gender differences, in recovery from coronary artery bypass surgery, 152
Heart failure, chronic, exercise testing in, 249
Home exercise training, before lung volume reduction, 235

Information intervention, videotape, and compliance, 170
Injury, during 1RM assessment, 52, 190, 366
Insulin
blood level, short-term endurance training and, 98
^{125}I-labeled, binding and degradation by erythrocyte receptors, 98
Intermittent claudication, cigarette smoking and physical activity with, 43

Left ventricular assist device implantation, exercise pulmonary function after, case study, 344
Left ventricular remodeling, exercise training and, after myocardial infarction, 373
Leisure time physical activity, cigarette smoking and, 43
Letters to the Editor, 190, 261
Lifestyle modification, in management of CAD, 226
Lipid lowering, in cardiac rehabilitation, 255
Literature Update, 62, 126, 193, 263, 389
Lung volume reduction, home exercise training before, 235
LVAD. *See* Left ventricular assist device

Men, recovering from coronary artery bypass surgery, psychology of, 152
MI. *See* Myocardial infarction
Multi-state outcomes program, feasibility of, 352
Multidisciplinary cardiac rehabilitation, exercise training in. *See also* Exercise training
effects on quality of life, 22
Muscle soreness, during 1RM assessment, 52, 190, 366
Myocardial infarction
moderate-high intensity exercise training after, 373
rehabilitation after, goal attainment in, 29
relaxation therapy and cardiac events after, 179
short-term endurance training after, 98
Neuropsychological functioning, among CR patients, 91
New Products and Services, 67, 131, 197, 267, 393

Older patients, with chronic illness, prediction of peak oxygen uptake among, 81
One repetition maximum assessment
cardiopulmonary responses, muscle soreness and injury during, 366
injuries and muscle soreness during, 52, 190
Outcomes
body fat distribution and, 162
multi-state program, feasibility of, 352
Outpatient rehabilitation
exercise maintenance after, long-term benefits of, 216
participation rates, 334
phase II, education, 347
strength training in, 8
Oxygen uptake, peak, prediction of, 81
Patient education
phase II cardiac rehabilitation, 347
videotape preparations, 170
Personality, and appointment-keeping, 106
Physical activity, cigarette smoking and, 43
Physiologic outcomes. *See also* Outcomes
body fat distribution and, 162
Psychological support groups, 18
Psychology, of men and women recovering from coronary artery bypass surgery, 152
Pulmonary function, exercise, after LVAD implantation, case study, 344
Pulmonary rehabilitation
effects on anxiety and depression in severe COPD, 362
functional status in, 35

Quality of life, effects of high- vs low-frequency exercise training on, 22
Recall, of dyspnea after exercise training, 242
Receptors, erythrocyte, ^{125}I-insulin binding and degradation by, 98
Relaxation therapy, effects of, 179
Risk stratification, for exercise training, 118, 261

Smoking, and physical activity, 43
Soreness, muscle, during 1RM assessment, 52, 190, 366
Strength training
of CR patients, 8
high-intensity, combined with aerobic training, in phase II patients, 209
1RM testing for
cardiopulmonary responses, muscle soreness and injury during, 366
injuries and muscle soreness during, 52, 190
Support groups, 18
Surgery
cardiothoracic, cycle exercise early after, case studies, 186
coronary artery bypass
exercise training after, 144
psychology of men and women recovering from, 152
videotape preparations and compliance after, 170
LVAD implantation, exercise pulmonary function after, case study, 344

Telemedicine, 59
Testing, exercise, in chronic heart failure, 249
Training
aerobic, combined with high-intensity strength training, in phase II patients, 209
endurance, short-term, after MI, 98
exercise
after coronary artery bypass surgery, 144
high-vs low-frequency, 22
home, before lung volume reduction, 235
and left ventricular remodeling, after MI, 373
moderate-high intensity, after MI, 373
recall of dyspnea after, 242
risk stratification for, 118, 261
strength
of CR patients, 8
high-intensity, combined with aerobic training, in phase II patients, 209
1RM testing for
cardiopulmonary responses, muscle soreness and injury during, 366
injuries and muscle soreness during, 52, 190
Transplantation, cardiac, exercise capacity early after, 381

Victoria, Australia, participation in outpatient CR programs, 334
Videotape information intervention, and compliance after coronary bypass surgery, 170

Waist-to-hip ratio, 162
Women, recovering from coronary artery bypass surgery, psychology of, 152

Young children, dietary fat and cholesterol intake in, 112